

Republic of the Philippines Department of Budget and Management PROCUREMENT SERVICE



Bid Bulletin No. 5 3 May 2019

Public Bidding No. 19-059-8

SUPPLY AND DELIVERY OF DISASTER RELIEF SUPPLIES FOR THE OFFICE OF THE CIVIL DEFENSE (OCD)

Issued pursuant to Sec. 22.5 of the IRR of R.A. 9184 to clarify and/or amend certain provisions in the Bidding Documents issued for this project, considering the issues raised and clarifications made by prospective bidders during the Pre-Bid Conference held on **8 April 2019**, likewise, respond to bidders' written queries received within the prescriptive period for filing.

A. AMENDMENTS/INCLUSIONS

I. SECTION III. BID DATA SHEET

AMENDMENTS/INCLUSION	BASES FOR AMENDMENT/INCLUSION
Page 44-45 BDS Clause 29.2 xxx 6. Test Result conducted within six months for Filtering Element from international testing centers (Lot No.1) or CE Certificate of Conformity valid within six (6) months from the date of opening of bids. xxx	To include in the provision as approved by the End Users for better understanding.
xxx 7. Certification from the Manufacturer that the material is Acrylonitrile Butadiene Styrene (ABS) or Material Data Sheet signed and issued by the Manufacturer. xxx	To include in the provision as approved by the End Users for better understanding.



II. SECTION VII. TECHNICAL SPECIFICATION

AMENDMENTS/INCLUSION	BASES FOR AMENDMENT/INCLUSION
Lot 1: EMERGENCY ESCAPE RESPIRATOR Page 73	
 With Test Result for Filtering Element from international testing centers or CE Certificate of Conformity valid within six (6) months from the date of opening of bids. 	To include in the Specification to give opportunity to other bidders to participate in the project.
• Temperature Tolerance: 1500℃ 1000℃ (min.)	To amend the provision to give opportunity to other bidders to participate.
Breathing Rate: 40L/m minimum xxx	To include Breathing Rate in the requirement. Please use Appendix "A" for the Technical Specification Compliance Form for the item.
Lot 2: RAIN SUIT Page 74	
 xxx Color: <u>International</u> Orange xxx Rain Suit Reflectorized with Hood 	To include in the provision for better understanding with the Specification.
 4" space each for the button with snap Test Results from PTRI/SGS within one (1) year from the date of the SOBE and subject for testing during Post 	Please see Appendix "B" for the Technical Specification Compliance Form for the item.
• Please see attached layout xxx	Please refer to Appendix "B-1" and "B-2" for illustration and for better understanding. Please take note that these are not the actual photo of the Rain

	Suit, this are for illustration purposes only.
Lot 3: SAFETY HELMET Page 75 XXX With three (3) four (4) fixing point chin strap XXX Head Suspension: Minimum of six (6) Vented XXX (OCD-NDRRMC Text) (Heat Transfer) Material Data Sheet signed/issued by the Manufacturer or Certification from the Manufacturer that the material is ABS and must be submitted during Post Qualification	 To include in the provision for better understanding with the Specification. Please see and use Appendix "C" for the Technical Specification Compliance Form for the item. Please refer to Appendix "C-1" for illustration and for better understanding. Please take note that these are not the actual photo of the Helmet, these are for illustration purposes only.
Lot 4: ALL TERRAIN FOOTWEAR Page 76 Please see Appendix "D" for the new Compliance with Technical Specification Form.	 As amended by the End Users, please see and use Appendix "D" for the Technical Specification Compliance Form for the item.

B. CLARIFICATIONS

The Department of Budget and Management – Procurement Service – Bids and Awards Committee hereby clarifies bidders' concerns and queries below.

ITEM	CONCERN	REFERENCE	CLARIFICATION/ RESOLUTION		
	OLIVEROS PROTECTIVE EQUIPMENT & MARITIME SUPPLIES ¹				
1	Request to include that a CE Certificate of Conformity, valid within six (6) months from the date of bid opening in lieu of the Test Result.	Emergency Escape Respirator Item 6, Page 44, BDS Clause 29.2,	Please see amendment part of this bulletin.		
2	Request for the amendment of the required minimum Temperature Tolerance from 1500°C to 1000°C.	Test Result conducted within six months for Filtering Element from international testing centers Technical Specifications: Temperature Tolerance: 1500°C	The End User hereby clarifies that the Temperature Tolerance will be amended. Please see amendment part of this Bid Bulletin. Please refer and use Appendix "A" for the Technical Specification Compliance Form.		
3	Recommends that a Test Result from PTRI within one (1) year from the date of bid opening be required during post-qualification, showing the water repellency rating (95% minimum) and fiber composition (polyester).	Rain Suit Technical Specifications	The End User hereby clarify that Test Result from PTRI within one (1) year from the date of bid opening will be acceptable. However, the submitted sample will still be subjected to testing at a third party laboratory center. Testing Fees will be borne by the bidder.		
4	Request that the Material Data Sheet (MDS) from the Manufacturer showing that the material of Safety Helmet being offered is Acrylonitrite Butadiene Styrene (ABS) as an alternative to the required Certification from the	Safety Helmet Item 6, Page 45, BDS Clause 29.2, Certification from the Manufacturer that the material	 Please see amendment part of this bulletin. To clarify that Material Data Sheet signed/issued by the Manufacturer or Certification from the Manufacturer that the material is ABS and must 		

 $^{\rm I}$ Letter dated April 10, 2019 received on the same date by hand.

	Manufacturer.	is Acrylonitrile Butadiene Styrene (ABS)	be submitted during Post Qualification.
	MACE	ROVISTA INC. ²	
5	Clarifies the Breathing Rate of Emergency Escape Respirator If 40L/m – 15 minutes is OK If 60L/m – you need the tank / or SCBA	Emergency Escape Respirator	 Please see amendment part of this bulletin. To clarify that Breathing Rate: 40L/m minimum will be required.
	KING'S S	SAFETYNET, INC. ³	
6	Request to include Emergency Response item or Fire fighting item in Single Largest Completed Contract.	Page 40, BDS Clause 5.4, Any Contract for Personal Protective Equipment (Lots 1 to 4)	The original requirement will be retained. Any Contract for Personal Protective Equipment is acceptable.
7	 Request to clarify the shade of orange for the item. Request for clarification if the item must be reflectorized Request to clarify if the item must have a Test Result from PTRI 	Rain Suit Technical Specification	 To clarify that the shade of International Orange will be required. Please see amendment part of this bid bulletin. To clarify that items are reflectorized. The Bidder may submit result of PTRI. However, the submitted sample will still be subjected to testing at a third party laboratory center.

² Letter received on April 10, 2019 through email.

 $^{^3}$ Letter dated April 10, 2019 received through email.

			Testing Fees will be borne by the bidder.
8	 Request for clarification regarding the required number of head suspension. Request to clarify if the item is vented or not vented. 	Safety Helmet Technical Specification	 To clarify that requirement for Head Suspension minimum of Six (6). Please see amendment part of this bid bulletin. To clarify that the Safety Helmet is vented. Please see amendment part of this bid bulletin.
	FOOTSAFE	PHILIPPINES, INC	<u> </u>
9	 As the Bidder's Observation, the technical specifications of the All-Terrain Shoes are tailored fit to Merrell Brand. Request to include synthetic leather into nubuck leather. Request to omit lycra and neoprene stretch collar since only Merrell has this specification. Request to have general/standard specifications for the item. Request to replace the female sizes to its equivalent size for male. Request to change to half sizes to whole sizes. 	All-Terrain Footwear Technical Specification	 Please see amendment part of this bulletin. Please use the attached Technical Specification Compliance Form as amended. To clarify that sizes indicated in the new technical specification are the acceptable sizes.
10	 Request for clarification regarding the Verifiable Proofs that should be 	Item 10, Page 45, BDS Clause 29.2	The End-User clarifies that the proof may be determined such as in the

 $^{^4}$ Letter dated April 11, 2019 received through email.

	submitted together with the Certification that the brand of All-Terrain Shoes has been in the Philippine Market for at least 10 years and its purpose. Request for clarification regarding the definition of Philippine Market	Certification accompanied with a verifiable proof that the brand being offered has been in the Philippine Market for at least ten (10) years (Lot No. 4)	form of Newspaper of Clippings, Ads, Official Receipt, Product Launching. The End-User clarifies the purpose of this requirement is to determine that the brand of the item being offered is present in the Philippine Market. The End-User clarifies that the Philippine Market means that the All-Terrain Footwear with the specific brand is available in the Philippine Market for the general public. The brand of the item being offered can be seen and purchase on the General Market. For example: SM Malls, Robinson Malls, Ayala Malls and the likes.
11	 Request to clarify the print in the safety helmet to be a sticker or silkscreen-printed. Request to clarify regarding the fixing point for the cradle/harness attached to the shell. Request that the submission of Declaration of Conformity from the Manufacturer that the product being offered passed the European Standard will be allowed in lieu of the OSHC Certificate. 	Safety Helmet	 To clarify that print of the OCD-NDRRMC in the Safety Helmet is through Heat Transfer. Please see appendix "" for better appreciation. The Heavy Duty Helmet is with adjustable chin strap and ratchet type head lock. The End User accept the recommendation instead of OSCH Certificate, the bidder may submit the Declaration of Conformity from the Manufacturer that the helmet passed

			the European Standard (CE).
12	Request to clarify the color requirement and the item should have a hood	Rain Suit	To clarify that International Orange is the required color and Rain Suit has a Hood.
13	Request to have a 2 nd Pre-Bid Conference		The original activities are retained.
14	Request for an extension for the sample submission from 7 calendar days to 10 calendar days		The original requirement of within five (5) calendar days submission of sample from the Notice of LCB will be retained.
15	Request for Postponement of Deadline for Submission and Opening of Bids.		Please refer to Bid Bulletin 3 for the new timelines of Bidding Activities.

All provisions of the bidding document that are affected by newly issued bidding documents template s are deemed modified / amended / revised.

By Rules, all other related provisions in the Bidding Documents correspondingly affected by these amendments are likewise deemed amended to conform to this Bid Bulletin.

Amendments made herein shall be considered an integral part of the Bidding Documents.

SGD.
ENGR. JAIME M. NAVARRETE, JR.
Chairperson, Bids and Awards Committee VIII

APPENDIX "A"

Section VII. Technical Specifications

LOT NO. 1	:	EMERGENCY ESCAPE RESPIRATOR
QUANTITY	:	340 sets
APPROVED BUDGET PER UNIT	:	Php5,769.23
APPROVED BUDGET FOR THE CONTRACT	:	Php1,961,538.00

AGENCY SPECIFICATIONS	BIDDER'S STATEMENT OF COMPLIANCE
EMERGENCY ESCAPE RESPIRATOR, brand new, complies with the following minimum requirements unless specified • Protection Duration: 30 minutes (min.) • Protects from Toxic Gases, Smoke, Flame and Radiant heat • With Test Result for Filtering Element from international testing centers. CE Certificate of Conformity valid within six (6) months from the date of opening of bids. • Temperature Tolerance: 1000 ℃ (min.) • One-size-fits-all • Product Shelf Life: 5 years (min.) • With hard case, mountable on the wall • Can be worn with glasses on • Color: Orange • With reflectorized strap for easy identification • Breathing Rate: 40L/m minimum	Brand: Model:

The proponent is required to submit a sample of the item for purposes of postqualification evaluation. The sample shall be submitted within five (5) calendar days from the issuance of Notice from the Bids and Awards Committee.

are true and correct, otherw	tement of compliance to the foregoing teching is a compliance to the foregoing teching is a compliance to the foregoing teching is a compliance to the foregoing technics.	•
Name of Company	Signature Over Printed Name of Authorized Representative	Date

APPENDIX "B"

LOT NO. 2	••	RAIN SUIT
QUANTITY	:	5,000 pieces
APPROVED BUDGET PER UNIT	:	Php 1,153.85
APPROVED BUDGET FOR THE CONTRACT	:	Php 5,769,230.00

AGENCY SPECIFICATIONS	BIDDER'S STATEMENT OF COMPLIANCE
AGENCY SPECIFICATIONS RAIN SUIT, brand new, complies with the following minimum requirements unless specified • Color: International Orange • Water Resistance: 95% (minimum) • Material: Polyester, PVC Coated • Rain Suit Reflectorized with Hood • 4" space each for the button with snap • Size Requirement: (Manufacturer's Standard, Asian Size) • Large – 2,500 • Medium – 2,500 • Construction and Design: As per attached illustration • Garterized Pants and Jacket • OCD and NDRRMC Text (Back, Upper Part) • Font: Arial Narrow • Font Size: 180 • Color: Black (Pants, Right Leg) • Font: Arial Narrow • Font Size: 180	
o Font Color: Black	
 Test Results from PTRI/SGS within one (1) year from the date of the SOBE and subject for testing during Post Qualification Please see attached layout 	
The proponent is required to submit a sample of the	e item for purposes of post-

The proponent is required to submit a sample of the item for purposes of pos- qualification evaluation. The sample shall be submitted within five (5) calend days from the issuance of Notice from the Bids and Awards Committee.					
are true and correct, otherw	tement of compliance to the foregoing techroise, if found false either during evaluation of our bid.	•			
Name of Company	Signature Over Printed Name of Authorized Representative	Date			
10 of 10 l P a g e					

APPENDIX "C"

LOT NO. 3	:	SAFETY HELMET
QUANTITY	••	510 pieces
APPROVED BUDGET PER UNIT	::	Php1,923.08
APPROVED BUDGET FOR THE CONTRACT	:	Php980,769.00

AGENCY SPECIFICATIONS	BIDDER'S STATEMENT OF COMPLIANCE
SAFETY HELMET, brand new, complies with the following minimum requirements unless specified • Material: Acrylonitrile Butadiene Styrene (ABS) • Adjustable ratchet for varying head sizes • Head sizes: 53 to 63 cm • With four (4) fixing point chin strap • Color: International Orange (OCD-NDRRMC Text) (Heat Transfer) • Font: Arial • Font Size: 48 • Font Color: Black • Material Data Sheet signed/issued by the Manufacturer or Certification from the Manufacturer that the material is ABS and must be submitted during Post Qualification • Head Suspension: Minimum of six (6) • Vented • See layout The proponent is required to submit a sample of the	
qualification evaluation. The sample shall be submi	
days from the issuance of Notice from the Bids and	
aujoe issuurice er rieuree irein tile bius unu i	

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found false either during evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company	Signature Over Printed Name	Date
	of Authorized Representative	

APPENDIX "D"

LOT NO. 4	:	ALL-TERRAIN FOOTWEAR
QUANTITY	:	510 pairs
APPROVED BUDGET PER UNIT	:	Php6,250.00
APPROVED BUDGET FOR THE CONTRACT	:	Php3,187,500.00

AGENCY SPECIFICATIONS						BIDDER'S STATEMENT OF COMPLIANCE
	ERRAIN FO					
following minimum requirements unless specified					Brand:	
• <u>Type</u>	<u>e:</u>	All Terrain	Shoes, Br	Model:		
• <u>Upp</u>	er Material:	Synthetic Durable/R	<u>Leather</u> Lugged Mes			
• <u>Upp</u>	<u>er Construct</u>	ion: Stitch ove	rlave			
• Linir	ng Material:	Soft fabric	_	a		
	Material:	Insole (Mi		3		
		Midsole (E	VA- Ethel '	Vinyl Acetate	<u>e)</u>	
		Outsole (R	_	_	_	
• <u>Outs</u>	sole:			on a variety	<u>of</u>	
		Conditions All torrain	<u>rubber out</u>	teolo		
• Clos	sina:	Laced (Lac		<u>tsoie</u>		
	Shape:	Rounded t				
_	le Height:	Low				
• Colo	or:	Any shade	of brown,	black and g	<u>ray</u>	
• <u>Sho</u>	<u>e Lace:</u>	<u>One</u>	(1) extra	pair shoe	<u>lace</u>	
<u>(Co</u>	<u>lor:</u>	<u>Blac</u>	<u>k)</u>			
O+b.		mha.				
• Othe	<u>er requireme</u>	ents: Water Res	istanco			
			ht and com	ofortable		
			ng offered			
<u>existi</u>	<u>ng</u>		_	ne market fo	<u>r at</u>	
<u>least</u>		10 Years				
Quantity per size:						
	MALE FEMALE					
	Size	Quantity				
	8.5	130 pairs	7	89 pairs		
	9	110 pairs	8	89 pairs		
	10	80 pairs		os pans		
	11	12 pairs				

	nt is required t	-		for purposes of post
-		e sample snall be otice from the Bio		thin five (5) calenda Committee.
Size of Sample Size 8 for Fen Size 9 for Mal	nale			
are true and co	rrect, otherwise,	•	r during evaluatio	echnical specifications on or post-qualification,
Name of Com	pany	Signature Over		Date







Note: Not the actual photo of the Safety Helmet