



Bid Bulletin No. 1
12 August 2022

PUBLIC BIDDING NO. 22-023-9

**SUPPLY AND DELIVERY OF TAPE, PACKAGING 48MM FOR THE
 PROCUREMENT SERVICE**

Issued pursuant to Sec. 22.5 of the IRR of R.A. 9184 to clarify and/or amend certain provisions in the Bidding Documents issued for this project, considering the issues raised and clarifications made by prospective bidders during the Pre-bid Conference held on **05 August 2022**, likewise, respond to bidders' written queries received within the prescriptive period for filing.

A. AMENDMENTS / INCLUSIONS

REFERENCE	BASES FOR AMENDMENT				
<p>Page No. 37 SECTION VII: TECHNICAL SPECIFICATION</p> <table border="1" data-bbox="201 1016 869 1149"> <tr> <td data-bbox="201 1016 440 1052">xxx</td> <td data-bbox="440 1016 869 1052">xxx</td> </tr> <tr> <td data-bbox="201 1052 440 1149">xxx</td> <td data-bbox="440 1052 869 1149"> <u>Brand:</u> <i>Note: Brand shall be IPO Registered</i> </td> </tr> </table>	xxx	xxx	xxx	<u>Brand:</u> <i>Note: Brand shall be IPO Registered</i>	<p>To reflect the proper form for bidder's understanding.</p> <p>Please refer and use Appendix "1" for the Compliance with the Technical Specification Form.</p>
xxx	xxx				
xxx	<u>Brand:</u> <i>Note: Brand shall be IPO Registered</i>				
<p>Page No. 37 SECTION VII: TECHNICAL SPECIFICATION</p> <div data-bbox="325 1308 766 1854" style="border: 1px solid black; padding: 10px;"> <p style="text-align: right; font-size: small;">PS STANDARD UNSPSC Code: J</p> <p style="text-align: center;">Technical Requirements for TAPE, PACKAGING, 48mm</p> <hr/> <p>PRODUCT SPECIFICATIONS</p> <ul style="list-style-type: none"> • Color: Tan • Width: 48mm (±1mm) • Usable Length: 30 meters • Base Material: Biaxially-oriented Polypropylene • Adhesion Strength: 6N/24mm (min) • Breaking Strength: 14N/24mm (min) <hr/> <p>EVIDENCE AND VERIFICATION</p> <ul style="list-style-type: none"> • The tape shall be wound uniformly around a core • The brand shall be indicated in the core • The Base Material Certification from manufacturer that the film used is Biaxial Polypropylene • <i>Twelve (12) rolls shall be submitted to the BAC during opening of bids for us the product specifications.</i> <hr/> <p>PACKAGING</p> <ul style="list-style-type: none"> • Six (6) rolls per pack. <hr/> <p>REFERENCES</p> </div>	<p>To reflect the complete specification for bidder's understanding.</p> <p>Please refer to Appendix "2" for your reference.</p>				

For the purpose of this Bulletin and for better understanding of its contents, the following rules shall apply: (a) Double-Strike-out – denotes deletion; (b) Underline – denotes inclusion or new item/requirement; and "xxx" – denotes separation of phrase/s being amended from the rest of the main text.

B. CLARIFICATION

The Department of Budget and Management – Procurement Service – Bids and Awards Committee I hereby clarify bidders' concerns and queries.

ITEM	CONCERN	REFERENCE	CLARIFICATION/ RESOLUTION
Clarification during Pre-Bid Conference¹			
1	The prospective bidder requested if it is possible to use Expired Framework Agreement Contract.	<p>Page 13 Section II. Instruction to bidders 5. Eligible Bidder</p> <p>xxx 5.3 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No. 9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:</p> <p>For the procurement of Expendables Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.</p> <p>xxx</p>	Acceptable, as long as the total Contact Amount indicated in the Framework agreement should meet the 25% Requirement of the SLCC and has no deficiencies during its delivery.
2	The prospective bidder clarified if the test result needs to be submitted during the Opening of Bids.	<p>Page 22 ITB Clause 20.2</p> <p>xxx 5. Valid Test Result not later than two (2) months from the deadline of submission of bids, issued by the government laboratory center or government accredited private laboratory testing center. In cases where required parameters were not all tested due to no fault of the bidder, the certificate may be accepted provided that proof of non-availability from the testing center is submitted.</p> <p>xxx</p>	No, this is a post-qualification requirement and should be submitted upon receipt of Notice of S/LCB.

¹ Pre-Bid Conference Conducted on 05 August 2022.

3	The prospective bidder clarified if the delivery location are within Metro Manila & also Pampanga, Antipolo, Rizal, and Imus, Cavite.	<p>Page 34 Section VI: Schedule of Requirements</p> <p>DELIVERY PERIOD AND DELIVERY SITES PS Warehouse, PS Complex, RR Road Cristobal St., Paco, Manila</p> <p>Within Ten (10) calendar days (CD) upon receipt of Call-Off; (Quantity will be determined for each Call-Off)</p> <p>Direct Delivery to End-User Agencies within Metro Manila; Pampanga; Antipolo; Rizal; and Imus, Cavite</p> <p>Within Fifteen (15) calendar days (CD) upon receipt of Call-Off; (Quantity will be determined for each Call-Off)</p>	Yes, please refer to Section VI of the Bidding Documents.
4	The prospective bidder inquired if there is a required quantity per area or is it still to be determined.	<p>Page 34 Section IV: Schedule of Requirements</p> <p>DELIVERY PERIOD AND DELIVERY SITES PS Warehouse, PS Complex, RR Road Cristobal St., Paco, Manila</p> <p>Within Ten (10) calendar days (CD) upon receipt of Call-Off; (Quantity will be determined for each Call-Off)</p> <p>Direct Delivery to End-User Agencies within Metro Manila; Pampanga; Antipolo; Rizal; and Imus, Cavite</p> <p>Within Fifteen (15) calendar days (CD) upon receipt of Call-Off; (Quantity will be determined for each Call-Off)</p>	No, the quantity per area will depend on the demand indicated in the Call-Off.

5	The prospective bidder inquired the abovementioned requirement, considering that there are some manufacturer has different shades of Tan, is that subject for disqualification.	Page 38 Section VII: Technical Specification Technical Requirement for Tape, Packaging 48mm xxx Product Specification Color: Tan xxx	Any shades of Tan is acceptable.
6	The prospective bidder inquired if there are any instruction regarding the proper packaging such as the quantity of the item per box. He added that this usually depends on the manufacturer.	Page 40 Additional Requirement on Packaging and Marking/Labeling Based on TSRC Resolution No. TSRC 2021-001	Please refer to Section VII under Technical Requirement for Tape, Packaging, 48mm of the Bidding Documents
7	The prospective bidder inquired if the sticker needs to be within the core of the item.	Page 40 Additional Requirement on Packaging and Marking/Labeling Based on TSRC Resolution No. TSRC 2021-001	As long as there is still a label sticker on the smaller packages, it is acceptable. Please refer to Packaging and Marking/Labeling based on TSRC Resolution No. TSRC 2021-001 of the Bidding Documents.
CROCODILE TAPE & COMPANY INC.²			
8	For the Single Largest Contract, can we use the Framework Agreement Contract even if the contract expires and the total quantities were not exhausted but in the required 25% of the ABC	Page 13 Section II. Instruction to bidders 5. Eligible Bidder xxx 5.3 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No. 9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to: For the procurement of Expendables Supplies: The Bidder must have completed a	Please refer to Item No 1

² Email received on 08 August 2022.

		single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC. xxx	
9	<p>As a branded item, in our core only the brand and trademark is in the core. It will be difficult if we put the additional labeling and marking in the core, that will be tedious and of courses additional cost and man power. Time constraint we may not be able to meet the deadline for the submission of sample if the labeling and marking in the core is implemented.</p> <p>Can we just continue the standard technical specification from the previous deliveries? Or if ever the lab le just be applied to the tube/bundle packaging of rolls?</p>	<p>Page 40 Additional Requirement on Packaging and Marking/Labeling Based on TSRC Resolution No. TSRC 2021-001</p>	<p>Please refer to Item No 7.</p>

All other portions of the Bidding Documents affected by these amendments shall be made to conform to the same.

Amendments/inclusions/clarifications made herein shall be considered an integral part of the Bidding Documents.

The changes made in the Philippine Bidding Documents (6th Edition, July 2020) are deemed integrated in the terms and conditions for this project.


PAUL JASPER V. DE GUZMAN
 Chairperson, *Bids and Awards Committee IX*

Appendix 1

LOT NO. 1	:	Tape, Packaging 48mm
QUANTITY	:	153,204 Rolls

AGENCY SPECIFICATIONS	BIDDER'S STATEMENT OF COMPLIANCE ³
<p>Tape, Packaging 48mm</p> <p>Conforms to the minimum specifications unless specified. See attached detailed Technical Specifications:</p> <p>PS STANDARD NO. OS 020:2016 UNSPSC Code No. 31201517-TA-P01 Dated: 25 November 2016</p> <p>*For Packaging and Marking/Labeling Requirements based from TSRC Resolution No. 2021-001 dated March 05, 2021.</p>	<p>Brand: <i>Note: Brand shall be IPO Registered</i></p>

We commit to deliver the goods under the new packaging and consistent with the physical appearance and color of the sample submitted as required by the Procurement Service.

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Name of Company

Signature Over Printed
Name of Authorized
Representative

Date

³ [Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

Appendix 2

PS STANDARD No. OS 020:2016
UNSPSC Code: 31201517-TA-P01

Technical Requirements for TAPE, PACKAGING, 48mm

PRODUCT SPECIFICATIONS

- Color: Tan
- Width: 48mm (± 1 mm)
- Usable Length: 50 meters
- Base Material: Biaxially-oriented Polypropylene
- Adhesion Strength: 6N/24mm (min)
- Breaking Strength: 14N/24mm (min)

EVIDENCE AND VERIFICATION


- The tape shall be wound uniformly around a core
- The brand shall be indicated in the core
- The Base Material Certification from manufacturer that the film used is Biaxially-oriented Polypropylene
- Twelve (12) rolls shall be submitted to the BAC during opening of bids for verification of the product specifications.

PACKAGING


- Six (6) rolls per pack.

REFERENCES

- PNS 2041:2008











RECOMMENDED FOR REVIEW

TECHNICAL SPECIFICATIONS REVIEW TEAM



Engr. PABLO ROMAN C. ANDRES
Member



Mr. JAYSON C. ERQUIZA
Member



Mr. JERNIMEL B. GALIT
Member


Engr. ANTONIO B. HERMIDA, JR.
Member


Ms. AMELITA F. HERNANDEZ
Member


Engr. JAIMIE M. NAVARRETE, JR.
Member



Mr. MERVIN JAN D. TANQUINTIC
Member



Engr. EDWARD R. SADDI
Team Leader


OCTOBER 25, 2016
Tape, Packaging, 48mm, Tan


RECOMMENDED FOR APPROVAL

TECHNICAL SPECIFICATIONS REVIEW COMMITTEE


Atty. VINCENT G. CAÑARES
OIC, BAC Support Division



Engr. JULIETA M. LOZANO
Chief, Purchasing Division


Ms. ROSA MARIA M. CLEMENTE
Senior BAC Chairperson
OIC-Deputy Executive Director V


Ms. FLORIDA G. ARIAS
OIC- Operations Group

APPROVAL

Approved: /
Disapproved: —


Ms. BINGLE B. GUTIERREZ
Executive Director

Effectivity date: November 25, 2016

