

Technical Requirements for

SCISSORS, SYMMETRICAL/ASYMMETRICAL

PRODUCT SPECIFICATIONS

- Straight trimmers intended for cutting papers, plastic, and rubber.
- Dimension (refer to the illustration)
 - L1 (± 3 mm): 178mm
 - L2 (± 3 mm): 87mm
- Length and thickness of the Cutting Blade : Manufacturer's Standard
- Construction/Quality:
 - Blades shall be made of stainless steel.
 - The tip of the cutting blade shall be blunt.
 - Blades shall be flat and shall be joined by a binding rivet/screw.
 - Scissors shall be adjusted for proper contact so that the sharpened edges slide against each other when the handles (bows) opposite to the pivot are closed.
 - All scissors shall be furnished with asymmetrical or symmetrical bow handles made of rigid plastic/rubber.
 - Materials shall be free from any defects and imperfections which might affect the serviceability of the finished product.
- Shall pass the Performance Test.

EVIDENCE and VERIFICATION

- **Documentary Evidence to be submitted during Post-qualification:**
 - Certificate from manufacturer
 - Construction/Quality:
 - Blades shall be made of stainless steel.
- **In-House Test:**
 - Straight trimmers intended for cutting papers, plastic, and rubber.
 - Determine the dimensions using a Steel Ruler (refer to the illustration)
 - L1 (± 3 mm): 178mm
 - L2 (± 3 mm): 87mm
 - Length and thickness of the Cutting Blade: Manufacturer's Standard

- Construction/Quality:
 - The tip of the cutting blade shall be blunt.
 - Blades shall be flat and shall be joined by a binding rivet/screw.
 - Scissors shall be adjusted for proper contact so that the sharpened edges slide against each other when the handles (bows) opposite to the pivot are closed.
 - All scissors shall be furnished with asymmetrical or symmetrical bow handles made of rigid plastic/rubber.
 - Materials shall be free from any defects and imperfections which might affect the serviceability of the finished product.
- Shall conform with the performance requirement for scissors:
 - When dropped four (4) times, from the standard table height (70 cm.), the scissors shall maintain proper alignment of blades and shall show no signs of breakage, crack, dent, etc., that may affect its appearance and serviceability.
 - Shall cut papers, plastic and rubber.
- Two (2) pairs with marking/labeling shall be provided by the bidder during the submission of additional post-qualification documents for verification of the product specifications.

PACKAGING


- Individually wrapped in plastic, thirty-six (36) pairs per box or manufacturer's standard packaging
- Additional Requirement on Packaging, refer to the attached Annex "A"

MARKING/LABELING

- Shall conform with the minimum Marking and Labeling Requirements under Article 77 of Republic Act 7394 (Consumer Act of the Philippines) whichever is/are applicable among those requirements to this item.

REFERENCES

- PNS 2105:2016



ILLUSTRATION



Handwritten notes in blue ink:
a
car
pe
W
r
v
p