

Republic of the Philippines Department of Budget and Management PROCUREMENT SERVICE BIDS AND AWARDS COMMITTEE



MINUTES OF MEETING

Wednesday, November	: 44, 2018:	BAG CONHERENCE
MEETING CALLED BY	BIDS AND AWARDS COMMITTEE IX	
TYPE OF MEETING	Prebid Conference	
PROJECT	Supply and Delivery of Fire Extinguisher, Pure He Procurement Service (PS)	CFC for the
REFERENCE NO.	PB 18-372-9	
	BIDS AND AWARDS COMMITTEE	
	Ms. Leah M. Valdez Vice	person Chairperson sional Member
	Procurement Division IX	
ATTENDEES	Mr. Karlou M. Borja	
	Bidder(s)	-
	Mr. Elmer Baladeras Innov	/alite, Inc.
	The scheduled Prebid Conference started at Chairperson presiding.	11:00 AM with the
CALL TO ORDER	2. The presence of the attendees was acknowledged.	A CANONIA A CANO

1 of 4 | Page

PREBID CONFERENCE
Public Bidding No. 18-372-9
Supply and Delivery of Fire Extinguisher, Pure HCFC for the Procurement
Service (PS)



3. The project was presented after the required quorum has been established.

DISCUSSION

ar Doga Manadalahaz	
DOCUMENTATIONS FROM PD IX	• The general requirements for government procurement of goods were presented. During the discussion, the following topics were tackled: the purpose of the Pre bid Conference, who can participate, proofs of bidder's eligibility, suggested forms, sequencing of documents, marking and packaging suggestions and the BAC IX contact details, among others.

RIE BIDEDOGUNEVAS	
INSTRUCTIONS TO SIDDERS	There were no Discussions/Amendments made; and no further instructions were made by the BAC.
BID DATA SHEET	Innovalite Inc. requested to change the single contract that is similar to the project equivalent from at least Fifty (50%) percent to Twenty Five (25%) percent.
GENERAL CONDITIONS OF THE CONTRACT	There were no Discussions/Amendments made; and no further instructions were made by the BAC.
SPECIAL CONDITIONS OF THE CONTRACT	There were no Discussions/Amendments made; and no further instructions were made by the BAC.
SCHEDULE OF REQUIREMENTS	There were no Discussions/Amendments made; and no further instructions were made by the BAC.
TECHNICAL SPECIFICATIONS	Section VII: Technical Specification Page 72

والموار ومستوهما والمقاولة ومعاولات المستوانية والمستوانية ومستومة المقاولة ومطابعة المتعادلة	Page 73
	LOT NO. 1: Fire Extinguisher, Pure HCFC
	> In the Bidder's Statement of Compliance, the supplier should write the brand they offer and write/state "COMPLY".
	Page 74
	Non-electrical conductor, non-toxic, non-corrossive
	Non-electrical conductor, non-toxic, non-corrossive should be labelled/printed on the item offered or submission of Manufacturer's certification stating that the item being offered is Non-electrical conductors and toxic per correspine.
	conductor, non-toxic, non-corrossive.
	Labelling/Marking: Shall follow PNS 15-5:1996
	> We will be attaching the minimum sample label/marking under PNS 15- .5:1996 as "Illustration A".
	Shall conform with the Consumer Act of the Phil. (RA 7394)
	> To include minimum labeling requirement specifically the name and address of the supplier
	To include mounting accessories in the technical requirements.
TERMS OF REFERENCE	There were no Discussions/Amendments made; and no further instructions were made by the BAC.
BIDDING FORMS	There were no Discussions/Amendments made; and no further instructions were made by the BAC.
na salbara in a salaman in a sa	
OTHER MATTERS	THE BIDDER EXPLAINED THE PRICE IS LOW. MARKET PRICES ESTIMATED AT P 7,500.00. THE CHAIRMAN RECOMMENDED A NEW PRICE MONITOR.
ATTACHMENTS	"NONE"
ADJOURNMENT	Having no other matters for discussion, the meeting was adjourned at 11: 30 AM

CERTIFICATION	We certify that the foregoing is true account of Pre-bid Conference conducted on Wednesday, November 14, 2018.	
By the Bids and Awards Committee IX:		
	1 Adda	
	RAYMUND FRANCIS B. LASAM	
CERTIFIED	MS. LEAH M. VALDEZ Vice Chairperson	
	MS. DALISAY CONRINA P. DELA CHICA	