## MINUTES OF MEETING

November 21, 2019	10:00 AM Meeting Room II	
MEETING CALLED BY	BIDS AND AWARDS COMMITTEE V	
TYPE OF MEETING	Pre-bid Conference	
PROJECT	Supply and Delivery of Blood Tube Roller Mixer for the Department of Health-National Voluntary Blood Services Program (DOH-NVBSP)	
REFERENCE NO.	PB No. 19-318-5	
ATTENDEES	Bids and Awards Committee VMr. Webster M. LaureñanaChairpersonMr. Jack G. MercadoVice ChairpersonMs. Rosemarie N. AndulanProvisional MemberEnd-User's RepresentativeMs. Iris ChuahiongDOH-NVBSP	
CALL TO ORDER	<ol> <li>The scheduled <b>Pre-bid Conference</b> started at 10:03 AM with the Chairperson presiding. He then instructed the PMOIC to acknowledge the presence of the attendees.</li> <li>The PMOIC, likewise, presented the Invitation to Observers however none confirmed attendance.</li> <li>Thereafter, the PMOIC informed the Committee that no prospective bidder is present to attend the Pre-bid Conference.</li> <li>The Chairperson stated that the bidder's attendance in the Prebid Conference is not mandatory and that bidders can still submit their proposals on the scheduled date of submission and Opening of Bids.</li> <li>Furthermore, the Chairperson added that the BAC V may assume that bidders already know the requirements for the bidding and will only declare a</li> </ol>	

	failure of public bidding if no bids are r	received during the Opening.		
DISCUSSION				
ID DOCUMENT	-S			
	ITB Clause 2 Page 4 <b>xxx</b>			
	Advertisement/Posting of Invitation to Bid	November 14, 2019		
	Issuance and Availability of Bid Documents	November 14, 2019		
	Pre-Bid Conference	November 21, 2019; 10:00 AM		
	Last day of Submission of Written Clarification	November 25, 2019		
	Last day of Issuance of Bid Bulletin	November 26, 2019		
INVITATION TO BID	Deadline for Submission	December 3, 2019; 10:00 AM		
	Opening of Bids	Immediately after the Deadline of Submission of Bids		
	xxx The PMOIC informed the Committee that the schedule between the last day of submission of written clarification and the last day of issuance of bid bulletin is too close and it might be difficult for the End-User to review the concerns of the prospective bidders in just a day.			
	The Chairperson then suggested to move the last day of issuance of bid bulletin from 26 November 2019 to 27 November 2019. Hence, postponing the Opening of Bid until 04 December 2019 at 1:00 PM.			
	The End-User agreed to the recommendation of the Chairperson.			
INSTRUCTIONS TO BIDDERS	NO FURTHER DISCUSSION			
BID DATA SHEET	NO FURTHER DISCUSSION			

PB No. 19-318-5 Supply and Delivery of Blood Tube Roller Mixer for the Department of Health-National Voluntary Blood Services Program (DOH-NVBSP)

PRE-BID CONFERENCE

GENERAL CONDITIONS OF CONTRACT	NO FURTHER DISCUSSION					
SPECIAL CONDITIONS OF THE CONTRACT	NO FURTHER DISCUSSION					
	Schedule of Requirements					
	Page 72					
	XXX					
SCHEDULE OF REQUIREMENTS	LOT	DESCRIPTION	QTY./UNIT	DELIVERY PERIOD		
	1	SUPPLY AND DELIVERY OF BLOOD TUBE ROLLER MIXER	25 units	Within <b>NINETY (90)</b> calendar days upon receipt of Notice to Proceed		
	XXX The Chairperson asked the End-User if they could adjust the delivery period given that the item to be delivered is not bulky and hard to manufacture. Moreover, recipient hospitals will have the required item the sooner After considering the items to be procured, the End-User agreed to reduce the delivery period from ninety (90) calendar days to sixty (60) calendar days.					
	xxx Submission of Demo Unit Page 73					
	XXX					
	The demo unit including the automatic voltage regulator (AVR) shall be submitted to the Technical Working Group in Procurement Service – Department of Budget and Management for evaluation within fifteen (15) calendar days from receipt of notice from the BAC.					

PRE-BID CONFERENCE

	xxx The Chairperson instructed the PMOIC to clarify the abovementioned provision since the bidders frequently thought that the BAC will send a separate notice for the submission of demo unit when in fact the bidding document requires that the same must be presented to the TWG after the receipt of Notice of Sing Calculated Bid (SCB) or Lowest Calculated B (LCB).	
	The PMOIC acknowledged this matter for incorporation in the bid bulletin.	
TECHNICAL SPECIFICATIONS	NO FURTHER DISCUSSION	
BID FORMS	NO FURTHER DISCUSSION	

OTHER MATTERS	NO DISCUSSION		
ADJOURNMENT	Having no other matters for discussion, the meeting was adjourned at 11:53 AM $$		
CERTIFICATION	We certify that the foregoing is the true account of <b>Pre-bid Conference</b> conducted on November 21, 2019.		
PREPARED BY	(SGD.) <b>MS. ROSEMARIE N. ANDULAN</b> Provisional Member, Bids and Awards Committee V		
CERTIFIED CORRECT	(SGD.) <b>MR. JACK G. MERCADO</b> Vice Chairperson, Bids and Awards Committee V (SGD.) <b>MR. WEBSTER M. LAUREÑANA</b>		
	Chairperson, Bids and Awards Committee V		

Supply and Delivery of Blood Tube Roller Mixer for the Department of Health-National Voluntary Blood Services Program (DOH-NVBSP)